





WATER COOLED DIESEL ENGINE

7-14 hp



GASOLINE ENGINE

5.5- 16 hp



GASOLINE PUMPSET

2- 3 inches



PLATINUM

WATER COOLED DIESEL ENGINE

ENGINE SPECIFICATIONS	PT70 PLUS	PT80 PLUS	PT95 PLUS	PT110 PLUS	PT140 PLUS
Engine Type	Diesel Engine 4-stroke Cycle Water Cooled				
Bore x Stroke (mm x mm)	84 x 84	86 x 84	86 x 90	92 x 90	97 x 96
Displacement Volume (cc)	465	486	523	598	709
Max. Power (kW/rpm)	5.15 / 2,400	5.97 / 2,400	6.99 / 2,400	8.09 / 2400	10.30 / 2,400
Compression Ratio	4.48 / 2,400	5.15 / 2,400	6.25 / 2,400	6.99 / 2,400	9.19 / 2,400
Galp Valve (mm)	23:01	23:01	22:01	21:01	18:01
Max Torque	0.16 - 0.20		0.2		
Capacity of Water Cooling (liters)	2.8 / 1,600		3.0 / 1,800	3.5 / 1,800	5 / 1,800
Capacity of Lubricant (liters)	1.6		2.1		
Type of Fuel	10				11
Type of Lubricant System	2.4		2.3		2.5
Type of Combustion Chamber	Light Diesel				
Type of Cooling	SAE 40 API CF		API CC,CD,CF,SAE 40		
Type of Lubricant System	Direct Injection		Swirl Chamber/ Precombustion Swirl Chamber		Direct Injection
Air Cleaner	Wet Type				
Type of Starting	Handle Start				
Rotation	Clockwise as viewed from the starting handle (Right Hand Rotation)				
Engine Size (WxLxH) (cm)	No Data		44 x 85 x 60		44 x 89 x 61
Container Load (Units) / 20° FCL	No Data		96		
Net Weight (kg)	93		109	113	114

GASOLINE ENGINE

ENGINE SPECIFICATION	PT 5.5HP	PT 6.5HP	PT 7.5HP	PT 9HP	PT 13HP	PT 16HP
ENGINE TYPE	4-Stroke, OHV 25° inclined Single Cylinder, Straight Shaft					
Displacement (cc)	163	196	208	270	389	420
Bore x Stroke (mm)	68 x 45	68 x 54	70 x 54	77 x 58	88 x 64	90 x 66
Max. Horse Power (hp/ rpm)	5.5 / 3,600	6.5 / 3,600	7.5 / 3,600	9 / 3,600	13 / 3,600	16 / 3600
Max. Torque (kg.m/rpm)	1.1 / 2,500	1.35 / 2,500	10 / 2,500	16.5 / 2,500	23 / 2,500	26 / 2,800
Compression Ratio	8.5:1		8:2:1			8:6:1
Min. Specific Fuel Consumption Ratio (g/hp/hr)	230					
Cooling System	Air Cooling					
Ignition	Flywheel Magneto Transistor					
Spark plug	BOSCH W6DC, NGK BP6ES					
Carburator	Float Type with Fixed Main Jet					
Air Cleaner	Oil bath type					
Lubrication	Splash System					
Oil	SAE 40 GRADE SJ, SG, SF					
Oil Capacity (liters)	0.6		1.1			
Starter System	Recoil Start With Automatic Compression Release					
Fuel	Unleaded Gasoline					
Fuel Capacity (liters)	3.6		6		6.5	
Dimension (WxLxH) (cm)	37 x 40 x 37		33 x 39 x 38		43 x 49 x 49.5	
Container load (Units) / 20° FCL	520		504		240	
Net Weight (kg)	15	16	17	25	31	34

GASOLINE PUMPSET

MODEL	PE50	PE80
Engine	PT 5.5 HP	PT 6.5 HP
Diameter Suction and Discharge	2 inches	3 inches
Max. Volume of Water	650 liters/min	1,100 liters/min
Pressure Head	32 m	28 m
Depth of Water Pumping	8 m	
Filling Water Pumping	Full Case Pump.	
Dimension (W x L x H)	39 x 49 x 43 cm	39 x 52 x 45 cm
Container Load (Units) / 20° FCL	360	330
Net Weight	26 kg	29 kg

Note: All data subject to alteration without notice.

EXCLUSIVE DISTRIBUTOR:

ALL CERTIFIED EQUIPMENT TRADING CORPORATION

Manila Office:
905 EDSA, Brgy. Phil-Am
Quezon City, Metro Manila
Tel. No. 1: (02) 7 622-3448
Tel. No. 2: (02) 8 952-5648
Globe No. 0917-829-3564
Smart No. 0999-885-9215

Ilocos Norte Office:
National Hi-way,
Brgy. Magnuang,
Batac Ilocos Norte
Smart No. 0999-885-9207
Globe No. 0917-706-0957
Globe No. 0917-711-3704

Isabela Office:
Minante 1,
Maharlika Highway
Cauayan City, Isabela
Tel. No. (078) 325-5498
Smart No. 0919-084-0563
Globe No. 0917-636-1639

Occ. Mindoro Office:
No. 365 Urieta St.,
Brgy. Buenavista,
Sablayan,
Occidental Mindoro
Globe No. 0917-626-4896

Iloilo Office:
Ground Floor
ZDB Building
Mc. Arthur Drive,
Tagbak Jaro Iloilo City
Smart No. 0999-885-9209
Globe No. 0917-816-7979
Globe No. 0917-709-2281

Bacolod Office:
Espinosa Village 2
Circumferential Rd.
Brgy. Taculing, Bacolod City
Tel. No. (034) 707-8885
Globe No. 0917-816-4858

Davao Office:
ACETC BLDG.
Km. 7, Mc Arthur Hi-way,
Bangkal, Davao City
Tel No.: (082) 283-9477
Globe No. 0917-706-0948

CDO Office
Zone 5, Tin-ao, Agusan,
Cagayan De Oro City
Tel No.: (088) 880-0570
Globe No. 0917-716-2318

